

## Safety Data Sheet

### 1. Identification of the substance / preparation and the Company

#### 1.1 Identification of the substance or preparation

Product name Textil PV  
Chemical name and synonym Water based polymer emulsion

#### 1.2 Use of the substance / preparation

Intended use Aqueous emulsion of water dispersible polymers, pigments and plasticiser

#### 1.3 Company identification

Name SAATI SPA  
Full address VIA MILANO 14  
District and Country 22070 APPIANO GENTILE (CO)  
ITALY  
Tel. +390319711  
Fax +39031933392

#### 1.4 Emergency telephone

SAATI S.p.A  
Tel. +390319711  
Fax +39031933392

For urgent inquiries refer to

Centro Antiveleni  
Ospedale Niguarda  
Tel. +390266101029

### 2. Composition / Information on ingredients

Contains:

Name	Concentration C	Classification
Propanol, oxybis-, dibenzoate Cas No 27138-31-4 CE No 248-258-5	6 <= C < 7	N R51/53

The complete text of -R- phrases is specified in section 16.

### 3. Hazards Identification

#### 3.1 Substance/Preparation Classification

This preparate is dangerous under 67/548/EEC and 1999/45/EC regulations and subsequent amendments. Therefore, this preparate requires a safety data sheet according to the 91/155/EC regulation and subsequent amendments. Further information on health and/or environmental hazards can be found in sections 11 and 12 of this sheet.

Phrases R:

52/53

#### 3.2 Danger Identification

HARMFUL TO AQUATIC ORGANISMS, MAY CAUSE LONG-TERM ADVERSE EFFECTS IN THE AQUATIC ENVIRONMENT.

### 4. First aid measures

EYES: Irrigate copiously with clean, fresh water for at least 15 minutes. Seek medical advice.

SKIN: Wash immediately with plenty of water. Remove contaminated clothing. If irritation persists, seek medical attention. Wash contaminated clothing before using them again.

INHALATION: Remove to open air. If breathing is irregular, seek medical advice.

INGESTION: Obtain immediate medical attention. Induce vomiting only if indicated by the doctor. Never give anything by mouth to an unconscious person.

### 5. Fire-fighting measures

Allow containers to cool in order to avoid product decomposition and generation of substances which might injure the health and be dangerous for safety reasons. Wear the fire equipment all the time.

### 6. Accidental release measures

Extinguish the sources of ignition or heat; cover the spillage with absorbent material. Collect the spilt material and discard the remainder spraying water, if not contraindicated (see section 10). For information on environmental and health risks, protection of the respiratory airways, ventilation and individual protective measures, refer to the other sections of this sheet.

Spillage in waters: remove the liquid from the surface with flameproof pumps or manual pumps or suitable absorbent material. Resort to sinking and/or dispersion of the product with suitable substances in open waters, if permitted by the law.

## 7. Handling and storage

Store in a well ventilated place, keeping the containers closed when not used. Do not smoke while handling. Keep far away from sources of heat, naked flames and sparks and other sources of ignition.

## 8. Exposure control / personal protection.

In order to minimize exposure as far as possible, it is strongly recommended to use adequate individual protective measures, such as: masks suitable for the product, goggles, gloves and overall. Do not eat, drink or smoke while handling it. Accurately wash the hands with soap and water before meals and at the end of the work shift.

## 9. Physical and chemical properties

Colour	Red
Odour	Light
Appearance	Liquid
Solubility	Soluble in water
Viscosity	8500mPa*s
Vapour density	<1
Evaporation speed	N.A.
Comburent properties	N.A.
Partition coefficient: n-octanol/water	N.A.
pH	5,0
Boiling point	>100°C
Flash point	N.A.
Explosive properties	N.A.
Vapour pressure	18mmHg
Specific gravity	1,050Kg/l
Solid content:	41,00 %
VOC:	0,13 % - 1,34g/litre of preparation
VOC (volatile carbon) :	0,05 % - 0,56g/litre of preparation

## 10. Stability and reactivity

The product is stable in normal conditions of use and storage. Due to thermal decomposition or in the event of a fire vapours may be produced potentially dangerous to health.

## 11. Toxicological information

Propanol, oxybis-, dibenzoate:  
Toxicity to Animals  
Oral (LD50) Rat: 5,313 mg/Kg  
Dermal (LD50)Rat: >2 mg/Kg  
Inhalation (LC50)(mist) > 200 mg/l

## 12. Ecological information

This product is dangerous for the environment and the aquatic organisms. In the long term, it may even have negative effects on the aquatic environment.

Propanol, oxybis-, dibenzoate:  
Ecotoxicology  
No observed effect level: 1000ppm, earthworm  
EC50: > 10 mg/l, Bacteria (*Pseudomonas putida*)  
BOD5 = 0,65 gO2  
COD =2,23 gO2

## 13. Disposal consideration

It is a combustible product which can be sent to authorised incinerators equipped with afterburning and damping.

## 14. Transport information

This substance is not dangerous under current provisions of the Code of International Carriage of Dangerous Goods by Road (ADR) and by Rail (RID), of the International Maritime Dangerous Goods Code (IMDG), and of the International Air Transport Association (IATA) regulations.

## 15. Regulatory information

R52/53	HARMFUL TO AQUATIC ORGANISMS, MAY CAUSE LONG-TERM ADVERSE EFFECTS IN THE AQUATIC ENVIRONMENT.
S60	THIS MATERIAL AND ITS CONTAINER MUST BE DISPOSED OF AS HAZARDOUS WASTE.

Danger labelling under regulations 67/548/EEC and 1999/45/EC and following amendments and adjustments.

## 16. Other information

Text of -R- phrases quoted in section 2 of the sheet.

R51/53 TOXIC TO AQUATIC ORGANISMS, MAY CAUSE LONG-TERM ADVERSE EFFECTS IN THE AQUATIC ENVIRONMENT.

### GENERAL BIBLIOGRAPHY

1. Regulation 1999/45/CE and following amendments;
2. Regulation 67/548/CEE and following amendments and adjustments (XXIX A.T.P.);
3. Regulation 91/155/CEE and following amendments;
4. The Merck Index. - 10th Edition;
5. Handling Chemical Safety;
6. Niosh - Registry of Toxic Effects of Chemical Substances;
7. INRS - Fiche Toxicologique (toxicological sheet);
8. Patty - Industrial Hygiene and Toxicology;
9. N.I. Sax - Dangerous properties of Industrial Materials-7, 1989 Edition;

### Note for users:

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product .

This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses.